

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	2867	radio with frequenc\$3 with plasma with generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 14:03	
2	BRS	6	radio with frequenc\$3 with plasma with generat\$3 and sensor\$1 with current with voltage\$1 with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:47	
3	BRS	0	radio with frequenc\$3 with plasma with generat\$3 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 08:58	
4	BRS	3	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current with voltage\$1 with load\$3 and replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 08:58	
5	BRS	3	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 09:24	
6	BRS	14	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with (mismatch\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:05	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	8	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with (mismatch\$3 or match\$3) and cable\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:05	
8	BRS	4	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with (mismatch\$3 or match\$3) and cable\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:07	
9	BRS	4	radio with frequenc\$3 with plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with match\$3 and cable\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:07	
10	BRS	4	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance with match\$3 and cable\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:08	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
11	BRS	4	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and match\$3 with network\$1 and cable\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:08	
12	BRS	5	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and match\$3 with network\$1 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:08	
13	BRS	4	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and match\$3 with network\$1 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	0	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) and scal\$3 with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:14	
15	BRS	0	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) and scal\$3 with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
16	BRS	3	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:17	
17	BRS	0	radio with frequenc\$3 same plasma\$1 and sensor\$1 with current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1 and scal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:18	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	2	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1 and scal\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 14:58	
19	BRS	6	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 with load\$3 and impedance and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:24	
20	BRS	0	(replace\$5 or repair\$3) with radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
21	BRS	0	(replace\$5 or repair\$3) same radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:27	
22	BRS	1	(replace\$5 or repair\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	0	(replace\$5 or repair\$3 or substitut\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with (sensor\$1 or detector\$1) with current\$1 with voltage\$1 same load\$3 and analy\$4 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:29	
24	BRS	3	(replace\$5 or repair\$3 or substitut\$3) same (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:37	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	1	(replace\$5 or repair\$3 or substitut\$3 or upgrad\$3 with add\$5) with component\$1 with (RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:41	
26	BRS	14	radio with frequenc\$3 with plasma and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:47	
27	BRS	13	radio with frequenc\$3 with plasma and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:48	
28	BRS	14	radio with frequenc\$3 same plasma and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
29	BRS	14	radio with frequenc\$3 same plasma\$1 and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:49	
30	BRS	14	radio with frequenc\$3 same (chamber\$1 or plasma\$1) and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:49	
31	BRS	18	(RF or (radio with frequenc\$3)) same (chamber\$1 or plasma\$1) and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:50	

Type	Hits	Search Text	DBs	Time Stamp	Comments
32 BRS	0	(replace\$5 or repair\$3 or substitut\$3 or upgrad\$3 with add\$5) with (RF or (radio with frequenc\$3)) same (chamber\$1 or plasma\$1) and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 with load\$3 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:50	
33 BRS	3	(replace\$5 or repair\$3 or substitut\$3 or upgrad\$3 with add\$5) with (RF or (radio with frequenc\$3)) same (chamber\$1 or plasma\$1) and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 same load\$3 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:50	

Type	Hits	Search Text	DBs	Time Stamp	Comments
34 BRS	3	(replace\$5 or repair\$3 or substitut\$3 or upgrad\$3 with add\$5) with (RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and (transducer\$1 or sensor\$1) with current\$1 with voltage\$1 same load\$3 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 13:51	
35 BRS	324	"4861148" "5285236" "5402224" "5438413" "5615006" "5757507" "5877861" "5894350" "6079256" "6143621" "6259525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 14:04	
36 BRS	0	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 with load\$3 and impedance and scal\$3 with (matrix or matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 14:59	
37 BRS	0	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 with load\$3 and scal\$3 with (matrix or matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 14:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
38	BRS	0	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 with load\$3 and scal\$3 with (matrix or matrices or vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:00	
39	BRS	11	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 and scal\$3 with (matrix or matrices or vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:07	
40	BRS	1	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 and scal\$3 with (matrix or matrices or vector\$1) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:03	
41	BRS	0	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 and (calibrat\$3 or compensat\$3) with (matrix or matrices or vector\$1) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:04	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
42	BRS	0	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 and (calibrat\$3 or compensat\$3) same (matrix or matrices or vector\$1) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:04	
43	BRS	1	radio with frequenc\$3 same plasma\$1 and current\$1 with voltage\$1 and (calibrat\$3 or compensat\$3 or scal\$3) same (matrix or matrices or vector\$1) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:04	
44	BRS	1	radio with frequenc\$3 same (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 and (calibrat\$3 or compensat\$3 or scal\$3) same (matrix or matrices or vector\$1) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:05	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
45	BRS	1	radio with frequenc\$3 same (chamber41 or plasma\$1) and current\$1 with voltage\$1 and (calibrat\$3 or compensat\$3 or scal\$3) same (matrix or matrices or vector\$1) same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:05	
46	BRS	1	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and (calibrat\$3 or compensat\$3 or scal\$3) same (matrix or matrices or vector\$1) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:07	
47	BRS	8	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and (calibrat\$3 or compensat\$3 or scal\$3) same (matrix or matrices or vector\$1) same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	69	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and scal\$3 with (matrix or matrices or vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 09:30	
49	BRS	0	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and scal\$3 same (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:13	
50	BRS	0	(RF or (radio with frequenc\$3)) same (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 and scal\$3 same (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
51	BRS	0	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 and scal\$3 same (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:14	
52	BRS	0	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and scal\$3 same (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:14	
53	BRS	37	(RF or (radio with frequenc\$3)) and scal\$3 same (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:18	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
54	BRS	3	(RF or (radio with frequenc\$3)) and scal\$3 same (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) same coefficient\$1 and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:21	
55	BRS	1	(RF or (radio with frequenc\$3)) and scal\$3 same (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) same coefficient\$1 and voltage\$1 with current\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:19	
56	BRS	5	(RF or (radio with frequenc\$3)) and generat\$3 with scal\$3 same (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) same (factor\$1 or coefficient\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:23	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	65	(RF or (radio with frequenc\$3)) and (weight\$3 or scal\$3 or ratio) with (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) with (factor\$1 or coefficient\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:25	
58	BRS	47	(RF or (radio with frequenc\$3)) and (weight\$3 or scal\$3 or ratio) with (matrix or matrices or vector\$1)with (calibrat\$3 or compensat\$3) with (factor\$1 or coefficient\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:27	
59	BRS	0	(RF or (radio with frequenc\$3)) same (chamber\$1 or plasma\$1) and (weight\$3 or scal\$3 or ratio) with (matrix or matrices or vector\$1) with (calibrat\$3 or compensat\$3) with (factor\$1 or coefficient\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:27	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
60	BRS	1	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and (weight\$3 or scal\$3 or ratio) with (matrix or matrices or vector\$1) with (calibrat\$3 or compensat\$3) with (factor\$1 or coefficient\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:29	
61	BRS	1	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and (weight\$3 or scal\$3 or ratio) with (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) with (factor\$1 or coefficient\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
62	BRS	11	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and (weight\$3 or scal\$3 or ratio) same (matrix or matrices or vector\$1) same (calibrat\$3 or compensat\$3) same (factor\$1 or coefficient\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:30	
63	BRS	47	(RF or (radio with frequenc\$3)) and (weight\$3 or scal\$3 or ratio) with (matrix or matrices or vector\$1) with (calibrat\$3 or compensat\$3) with (factor\$1 or coefficient\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 16:11	
64	BRS	5	(RF or (radio with frequenc\$3)) and (weight\$3 or scal\$3 or ratio) with (matrix or matrices or vector\$1) with (calibrat\$3 or compensat\$3) with (factor\$1 or coefficient\$1) and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
65	BRS	2	(RF or (radio with frequenc\$3)) and (weight\$3 or scal\$3 or ratios) with (matrix or matrices or vector\$1) with (calibrat\$3 or compensat\$3) with (factor\$1 or coefficient\$1) and semiconductor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:37	
66	BRS	7	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and analy\$4 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with sensor\$1 and coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:38	
67	BRS	9	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 16:35	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
68	BRS	31847	702/57,60,64,65,,117,118.c cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:40	
69	BRS	264	333/17.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 15:43	
70	BRS	0	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3) with (matrix or matrices or vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 16:36	
71	BRS	6	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 same load\$3 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 16:40	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
72	BRS	26	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 same load\$3 and (recalibrat\$3 or recalibrat\$3 or calibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 16:42	
73	BRS	12	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 same load\$3 and (recalibrat\$3 or recalibrat\$3 or calibrat\$3 or compensat\$3 or adjust\$5) with (matrix or matrices or vector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 16:40	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
74	BRS	26	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 same load\$3 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1) and voltage\$1 same current\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/07 16:43	
75	BRS	8	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 same load\$3 and (recalibrat\$3 or re- calibrat\$3 or calibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1) and voltage\$1 same current\$1 and semiconductor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 07:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
76	BRS	245	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 and (recalibrat\$3 or recalibrat\$3 or calibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1) and voltage\$1 same current\$1 and semiconductor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 07:50	
77	BRS	5	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 and (recalibrat\$3 or recalibrat\$3 or calibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1) with coefficient\$1 and voltage\$1 same current\$1 and semiconductor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 07:54	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
78	BRS	5	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1) same coefficient\$1 and voltage\$1 same current\$1 and semiconductor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 07:54	
79	BRS	6	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and current\$1 with voltage\$1 and (recalibrat\$3 or re-calibrat\$3 or calibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1) same coefficient\$1 and voltage\$1 same current\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 07:55	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
80	BRS	6	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and (recalibrat\$3 or recalibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1) same coefficient\$1 and voltage\$1 same current\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 07:55	
81	BRS	65	(RF or (radio with frequenc\$3)) and (chamber\$1 or plasma\$1) and (recalibrat\$3 or recalibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1) same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 09:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
82	BRS	19	(RF or (radio with frequenc\$3)) same (chamber\$1 or plasma\$1) and (recalibrat\$3 or recalibrat\$3 or compensat\$3 or adjust\$5) same (matrix or matrices or vector\$1) same coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 07:55	
83	BRS	71	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and short with circuit\$1 with impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 09:30	
84	BRS	25	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and open\$3 with short with circuit\$1 with impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 09:31	
85	BRS	13	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and open\$3 with short with circuit\$1 with impedance and "50 .ohm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 10:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
86	BRS	13	(RF or (radio with frequenc\$3)) same plasma\$1 and current\$1 with voltage\$1 and open\$3 with short with circuit\$1 with impedance and "50 ohm" and match\$3 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 11:44	
87	BRS	2	"20040210407"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 11:52	
88	BRS	2	"20040021454"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 11:53	
89	BRS	2	"20030052085"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 11:54	
90	BRS	2	"6781317"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 11:55	
91	BRS	3	"6239587"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 11:57	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
92	IS&R	2	("4679007").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 11:58	
93	IS&R	2	("5472561").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 11:59	